

# SAFETY DATA SHEET

## Sikaflex®-265



Version 2.0

SDS Number: 000000609439

Revision Date: 18.06.2020

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikaflex®-265  
Product code : 000000609439

#### Recommended use of the chemical and restrictions on use

Product use : Adhesive

#### Manufacturer or supplier's details

Company : Sika Ltd.  
Nagatoro 1 – 1, Hiratsuka – Shi, Kanagawa 14 2540021  
Japan  
Telephone : +81 463 24 4976  
Telefax : +81 463 23 2229  
E-mail address : EHS@jp.sika.com  
Emergency telephone number : +81 463 24 4976  
Prepared by : Quality Assurance & EHS Group

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Respiratory sensitisation : Category 1  
Skin sensitisation : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : May cause an allergic skin reaction.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements : **Prevention:**  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves.  
Wear respiratory protection.  
**Response:**  
IF ON SKIN: Wash with plenty of water.  
If skin irritation or rash occurs: Get medical advice/ attention.  
INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
Take off contaminated clothing and wash it before reuse.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET

## Sikaflex®-265



Version 2.0

SDS Number: 0000000609439

Revision Date: 18.06.2020

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)	ENCS/ISHL number
4,4'-methylenediphenyl diisocyanate	101-68-8	>= 0.1 - < 1	4-118
Carbon black	1333-86-4	>=10 - < 20	

### 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: sensitising effects Asthmatic appearance Allergic reactions See Section 11 for more detailed information on health effects and symptoms.
Notes to physician	: Treat symptomatically.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous combustion products	: No hazardous combustion products are known
Specific extinguishing methods	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Deny access to unprotected persons.
---	---

# SAFETY DATA SHEET

## Sikaflex®-265



Version 2.0

SDS Number: 0000000609439

Revision Date: 18.06.2020

- Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

#### Handling

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products.
- Avoidance of contact : No data available
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

#### Storage

- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
- Materials to avoid : No special restrictions on storage with other products.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4,4'-methylenediphenyl diisocyanate	101-68-8	OEL-M	0.05 mg/m <sup>3</sup>	JP OEL JSOH
	Further information: Airway sensitizing agent; Group 1 substances which induce allergic reactions in humans			
		TWA	0.005 ppm	ACGIH

#### Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventila-

# SAFETY DATA SHEET

## Sikaflex®-265



Version 2.0

SDS Number: 0000000609439

Revision Date: 18.06.2020

	tion is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific workplace.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Paste
Colour	: Black
Odour	: Characteristic
Odour Threshold	: No data available
pH	: Not applicable
Melting point/range / Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: ca. 140 °C (284 °F), Method: Closed cup
Evaporation rate	: No data available
Flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 0.01 hPa (0.01 mmHg)
Relative vapour density	: No data available
Density	: ca. 1.19 g/cm <sup>3</sup> (23 °C (73 °F))
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	

# SAFETY DATA SHEET

## Sikaflex®-265



Version 2.0

SDS Number: 000000609439

Revision Date: 18.06.2020

Viscosity, dynamic	: No data available
Viscosity, kinematic	: > 20.5 mm <sup>2</sup> /s (40 °C)
Explosive properties	: No data available
Molecular weight	: No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: No data available
Incompatible materials	: No data available
Hazardous decomposition products	: No decomposition if stored and applied as directed.

---

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Carbon black:

Acute oral toxicity : LD50 Oral (Rat): > 8,000 mg/kg

##### 4,4'-methylenediphenyl diisocyanate:

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l Test atmosphere: dust/mist,  
Method: Expert judgement

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction

Respiratory sensitisation: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

# SAFETY DATA SHEET

## Sikaflex®-265



Version 2.0

SDS Number: 0000000609439

Revision Date: 18.06.2020

### Aspiration toxicity

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Carbon black:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l  
Exposure time: 96 h

### Persistence and degradability

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Hazardous to the ozone layer

Not applicable

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

# SAFETY DATA SHEET

## Sikaflex®-265



Version 2.0

SDS Number: 000000609439

Revision Date: 18.06.2020

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Not applicable

#### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Number	Concentration (%)
Carbon black	130	$\geq 10 - < 20$
Methylenebis(4,1-phenylene) diisocyanate	599	$\geq 0.1 - < 1$

#### Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Number
Carbon black	130

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

#### Ordinance on Prevention of Lead Poisoning

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

#### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

#### Poisonous and Deleterious Substances Control Law

Not applicable

# SAFETY DATA SHEET

## Sikaflex®-265



Version 2.0

SDS Number: 0000000609439

Revision Date: 18.06.2020

---

### **Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**

Not applicable

International Chemical Weapons Convention (CWC) : Not applicable  
Schedules of Toxic Chemicals and Precursors

### **High Pressure Gas Safety Act**

Not applicable

---

## 16. OTHER INFORMATION

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.