

# SAFETY DATA SHEET

## Sikaflex® -521 UV



Version  
8.0

Revision Date:  
01.04.2023

SDS Number:  
100000010837

Date of last issue: 23.03.2022  
Date of first issue: 12.01.2016

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikaflex® -521 UV

Product code : 100000010837

#### Manufacturer or supplier's details

Company : Sika Japan Ltd.  
Akasaka-K-Tower 7F  
1-2-7 Moto-Akasaka  
Minato-ku Tokyo  
107-0051 JapanJapan

Telephone : +81 3 6434 7291

Telefax : -

E-mail address : EHS@jp.sika.com

Emergency telephone number : +81 463 24 4976

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

#### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS/ISHL number
Titanium dioxide (> 10 µm)	13463-67-7	>= 2.5 - < 10	1-558, 5-5225
methanol	67-56-1	< 0.1	2-201

### 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air.

In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.

# SAFETY DATA SHEET

## Sikaflex® -521 UV



Version  
8.0

Revision Date:  
01.04.2023

SDS Number:  
100000010837

Date of last issue: 23.03.2022  
Date of first issue: 12.01.2016

---

- Keep eye wide open while rinsing.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May cause damage to organs through prolonged or repeated exposure.  
No known significant effects or hazards.  
See Section 11 for more detailed information on health effects and symptoms.
- Notes to physician : Treat symptomatically.
- 

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- 

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : For personal protection see section 8.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.
- 

### 7. HANDLING AND STORAGE

#### Handling

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.  
No special handling advice required.  
Follow standard hygiene measures when handling chemical products
-

# SAFETY DATA SHEET

## Sikaflex® -521 UV



Version  
8.0

Revision Date:  
01.04.2023

SDS Number:  
100000010837

Date of last issue: 23.03.2022  
Date of first issue: 12.01.2016

Avoidance of contact : No data available

Hygiene measures : When using do not eat or drink.  
When using do not smoke.

### Storage

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Store in accordance with local regulations.

Materials to avoid : No special restrictions on storage with other products.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Titanium dioxide (> 10 µm)	13463-67-7	TWA	10 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH
methanol	67-56-1	ACL	200 ppm	JP OEL ISHL
		OEL-M	200 ppm 260 mg/m <sup>3</sup>	JP OEL JSOH
Further information: Group 2: Substances presumed to cause reproductive toxicity in humans, Skin absorption				

### Biological occupational exposure limits

Components	CAS-No.	Target substance	Biological specimen	Sampling time	Permissible concentration	Basis
methanol	67-56-1	Methanol	Urine	End of shift	20 mg/l	JSOH
		Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

# SAFETY DATA SHEET

## Sikaflex® -521 UV



Version  
8.0

Revision Date:  
01.04.2023

SDS Number:  
100000010837

Date of last issue: 23.03.2022  
Date of first issue: 12.01.2016

---

- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Eye protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- 

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : paste
- Colour : various
- Odour : No data available
- Odour Threshold : No data available
- Melting point/range / Freezing point : No data available
- Boiling point/boiling range : No data available
- Flammability (solid, gas) : No data available
- Lower explosion limit and upper explosion limit / flammability limit  
Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Flash point : ca. 150 °C  
(Method: closed cup)
- Decomposition temperature : No data available
- pH : Not applicable
- Evaporation rate : No data available
- Auto-ignition temperature : No data available
- Viscosity  
Viscosity, dynamic : No data available
- Viscosity, kinematic : > 20.5 mm<sup>2</sup>/s (40 °C)
-

# SAFETY DATA SHEET

## Sikaflex® -521 UV



Version  
8.0

Revision Date:  
01.04.2023

SDS Number:  
100000010837

Date of last issue: 23.03.2022  
Date of first issue: 12.01.2016

---

Solubility(ies)  
Water solubility : insoluble  
Solubility in other solvents : No data available  
Partition coefficient: n-  
octanol/water : No data available  
Vapour pressure : 0.01 hPa  
Density and / or relative density  
Density : ca. 1.38 g/cm<sup>3</sup> (23 °C)  
Relative vapour density : No data available  
Explosive properties : No data available  
Oxidizing properties : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.  
Chemical stability : The product is chemically stable.  
Possibility of hazardous reac-  
tions : No hazards to be specially mentioned.  
Conditions to avoid : No data available  
Incompatible materials : No data available

---

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Components:

##### methanol:

Acute inhalation toxicity : LC50: 3 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Converted acute toxicity point estimate

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

# SAFETY DATA SHEET

## Sikaflex® -521 UV



Version  
8.0

Revision Date:  
01.04.2023

SDS Number:  
100000010837

Date of last issue: 23.03.2022  
Date of first issue: 12.01.2016

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

May cause damage to organs (respiratory system) through prolonged or repeated exposure.

#### Aspiration toxicity

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Hazardous to the ozone layer

Not applicable

### Other adverse effects

#### Product:

Additional ecological information : There is no data available for this product.

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

# SAFETY DATA SHEET

## Sikaflex® -521 UV



Version  
8.0

Revision Date:  
01.04.2023

SDS Number:  
100000010837

Date of last issue: 23.03.2022  
Date of first issue: 12.01.2016

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

##### National Regulations

Refer to section 15 for specific national regulation.

---

### 15. REGULATORY INFORMATION

#### Related Regulations

##### Fire Service Law

Not applicable

##### Industrial Safety and Health Law

##### Harmful Substances Prohibited from Manufacture

Not applicable

##### Harmful Substances Required Permission for Manufacture

Not applicable

##### Substances Prevented From Impairment of Health

Not applicable

##### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

##### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

##### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Number	Concentration (%)
Titanium(IV) oxide	191	>=1 - <10

##### Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

# SAFETY DATA SHEET

## Sikaflex® -521 UV



Version  
8.0

Revision Date:  
01.04.2023

SDS Number:  
100000010837

Date of last issue: 23.03.2022  
Date of first issue: 12.01.2016

Chemical name	Number
Titanium(IV) oxide	191

### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

### Ordinance on Prevention of Lead Poisoning

Not applicable

### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

### Poisonous and Deleterious Substances Control Law

Not applicable

### Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

International Chemical Weapons Convention (CWC) : Not applicable  
Schedules of Toxic Chemicals and Precursors

### High Pressure Gas Safety Act

Not applicable

## 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
JP OEL ISHL	:	Japan. Administrative Control Levels
JP OEL JSOH	:	Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits
JSOH	:	Occupational exposure limits based on biological monitoring (JSOH).
ACGIH / TWA	:	8-hour, time-weighted average
JP OEL ISHL / ACL	:	Administrative Control level
JP OEL JSOH / OEL-M	:	Occupational Exposure Limit-Mean

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

JP / EN