

# SAFETY DATA SHEET

## Sikaflex-265



Version  
3.0

Revision Date:  
2023/03/31

SDS Number:  
000000609439

Date of last issue: 2020/06/18  
Date of first issue: 2017/06/01

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Sikaflex-265

#### Supplier's company name, address and phone number

Company name of supplier : Sika Japan Ltd.  
Akasaka-K-Tower 7F  
1-2-7 Moto-Akasaka  
Minato-ku Tokyo  
107-0051 Japan

Telephone : +81 3 6434 7291

E-mail address : EHS@jp.sika.com

Telefax : -

Emergency telephone number : +81 463 24 4976

#### Recommended use of the chemical and restrictions on use

Product use : Adhesive

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Skin corrosion/irritation : Category 3

#### GHS label elements

Hazard pictograms : None  
Signal word : Warning

Hazard statements : H316 Causes mild skin irritation.

Precautionary statements : **Response:**  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.

#### Other hazards which do not result in classification

None known.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

---

# SAFETY DATA SHEET

## Sikaflex-265



Version  
3.0

Revision Date:  
2023/03/31

SDS Number:  
000000609439

Date of last issue: 2020/06/18  
Date of first issue: 2017/06/01

### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS/ISHL number
Carbon black	1333-86-4	$\geq 10 - < 20$	5-5222
4,4'-methylenediphenyl diisocyanate	101-68-8	$\geq 0.1 - < 1$	4-118
2-ethyl-2-[[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate	15625-89-5	$\geq 0.1 - < 0.25$	2-958, 2-1010

### 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Keep eye wide open while rinsing.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No known significant effects or hazards.  
See Section 11 for more detailed information on health effects and symptoms.
- Notes to physician : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

## Sikaflex-265



Version  
3.0

Revision Date:  
2023/03/31

SDS Number:  
000000609439

Date of last issue: 2020/06/18  
Date of first issue: 2017/06/01

- Personal precautions, protective equipment and emergency procedures : For personal protection see section 8.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

#### Handling

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Follow standard hygiene measures when handling chemical products
- Avoidance of contact : No data available
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

#### Storage

- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Store in accordance with local regulations.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4,4'-methylenediphenyl diisocyanate	101-68-8	OEL-M	0.05 mg/m <sup>3</sup>	JP OEL JSOH
	Further information: Airway sensitizing agent; Group 1 substances which induce allergic reactions in humans			
		TWA	0.005 ppm	ACGIH

#### Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates

# SAFETY DATA SHEET

## Sikaflex-265



Version  
3.0

Revision Date:  
2023/03/31

SDS Number:  
000000609439

Date of last issue: 2020/06/18  
Date of first issue: 2017/06/01

that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Eye protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : paste
- Colour : black
- Odour : characteristic
- Odour Threshold : No data available
- Melting point/range / Freezing point : No data available
- Boiling point/boiling range : No data available
- Flammability (solid, gas) : No data available
- Lower explosion limit and upper explosion limit / flammability limit  
Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Flash point : ca. 140 °C  
(Method: Cleveland open cup)
- Decomposition temperature : No data available
- pH : Not applicable
- Evaporation rate : No data available

# SAFETY DATA SHEET

## Sikaflex-265



Version  
3.0

Revision Date:  
2023/03/31

SDS Number:  
000000609439

Date of last issue: 2020/06/18  
Date of first issue: 2017/06/01

---

Auto-ignition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : > 20.5 mm<sup>2</sup>/s (40 °C)

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : No data available

Vapour pressure : 0.01 hPa

Density and / or relative density  
Density : ca. 1.19 g/cm<sup>3</sup> (23 °C)

Relative vapour density : No data available

Explosive properties : No data available

Oxidizing properties : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-  
tions : No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

---

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Components:

#### Carbon black:

Acute oral toxicity : LD50 Oral (Rat): > 8,000 mg/kg

#### 4,4'-methylenediphenyl diisocyanate:

# SAFETY DATA SHEET

## Sikaflex-265



Version  
3.0

Revision Date:  
2023/03/31

SDS Number:  
000000609439

Date of last issue: 2020/06/18  
Date of first issue: 2017/06/01

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement

### **2-ethyl-2-[[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate:**

Acute oral toxicity : LD50 Oral (Rat): 3,680 - 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

### **Skin corrosion/irritation**

Causes mild skin irritation.

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Germ cell mutagenicity**

Not classified based on available information.

#### **Carcinogenicity**

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### **STOT - single exposure**

Not classified based on available information.

#### **STOT - repeated exposure**

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

#### **Carbon black:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

## Sikaflex-265



Version  
3.0

Revision Date:  
2023/03/31

SDS Number:  
000000609439

Date of last issue: 2020/06/18  
Date of first issue: 2017/06/01

---

### **2-ethyl-2-[[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.87 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

### **Persistence and degradability**

No data available

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Hazardous to the ozone layer**

Not applicable

### **Other adverse effects**

#### **Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Send to a licensed waste management company.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

#### **IATA-DGR**

UN/ID No. : Not applicable

---

# SAFETY DATA SHEET

## Sikaflex-265



Version  
3.0

Revision Date:  
2023/03/31

SDS Number:  
000000609439

Date of last issue: 2020/06/18  
Date of first issue: 2017/06/01

---

Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

---



# SAFETY DATA SHEET

## Sikaflex-265



Version  
3.0

Revision Date:  
2023/03/31

SDS Number:  
000000609439

Date of last issue: 2020/06/18  
Date of first issue: 2017/06/01

### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Carbon black	$\geq 10 - < 20$	-
Methylenebis(4,1-phenylene) diisocyanate	$\geq 0.1 - < 1$	-
1,1,1-trimethylolpropane triacrylate	$\geq 0.1 - < 1$	From April 1st, 2024

### Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Carbon black	-

### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

### Ordinance on Prevention of Lead Poisoning

Not applicable

### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

### Poisonous and Deleterious Substances Control Law

Not applicable

### Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

### Until March 31st, 2023

Not applicable

### From April 1st, 2023

Not applicable

International Chemical Weapons Convention (CWC) : Not applicable  
Schedules of Toxic Chemicals and Precursors

### High Pressure Gas Safety Act

Not applicable

## 16. OTHER INFORMATION

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits  
ACGIH / TWA : 8-hour, time-weighted average

# SAFETY DATA SHEET

## Sikaflex-265



Version  
3.0

Revision Date:  
2023/03/31

SDS Number:  
000000609439

Date of last issue: 2020/06/18  
Date of first issue: 2017/06/01

---

JP OEL JSOH / OEL-M	:	Occupational Exposure Limit-Mean
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dose (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

JP / EN