# Sikaflex®-255 Ultra



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/06/18

 4.0
 2023/04/01
 100000019969
 Date of first issue: 2018/02/22

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Sikaflex®-255 Ultra

Supplier's company name, address and phone number

Company name of supplier : Sika Japan Ltd.

Akasaka-K-Tower 7F 1-2-7 Moto-Akasaka Minato-ku Tokyo 107-0051 Japan

Telephone : +81 3 6434 7291

E-mail address : EHS@jp.sika.com

Telefax : -

Emergency telephone number : +81 463 24 4976

#### 2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Skin corrosion/irritation : Category 3

**GHS** label elements

Hazard pictograms : None Signal word : Warning

Hazard statements : H316 Causes mild skin irritation.

Precautionary statements : Response:

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS/ISHL number
Carbon black	1333-86-4	>= 10 - < 20	5-5222

## Sikaflex®-255 Ultra



Version **Revision Date:** SDS Number: Date of last issue: 2020/06/18 2023/04/01 100000019969 Date of first issue: 2018/02/22 4.0

bis(2-ethylhexyl) adipate	103-23-1	9.8	2-861, 2-879
4,4'-methylenediphenyl diisocyanate	101-68-8	>= 0.1 - < 1	4-118

4. FIRST AID MEASURES

General advice No hazards which require special first aid measures.

If inhaled Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact Flush eyes with water as a precaution.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

No known significant effects or hazards.

See Section 11 for more detailed information on health effects

and symptoms.

Notes to physician Treat symptomatically.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod-

ucts

No hazardous combustion products are known

Specific extinguishing meth-

Standard procedure for chemical fires.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

#### 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec- : For personal protection see section 8.

# Sikaflex®-255 Ultra



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/06/18

 4.0
 2023/04/01
 100000019969
 Date of first issue: 2018/02/22

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

: Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

Handling

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not get in eyes, on skin, or on clothing.

For personal protection see section 8.

Follow standard hygiene measures when handling chemical

products

Avoidance of contact : No data available

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Storage

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Store in accordance with local regulations.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
4,4'-methylenediphenyl diiso-	101-68-8	OEL-M	0.05 mg/m3	JP OEL
cyanate				JSOH
	Further information: Airway sensitizing agent; Group 1 substances			
	which induce allergic reactions in humans			
		TWA	0.005 ppm	ACGIH

## Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

# Sikaflex®-255 Ultra



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/06/18

 4.0
 2023/04/01
 100000019969
 Date of first issue: 2018/02/22

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : paste

Colour : black

Odour : characteristic

Odour Threshold : No data available

Melting point/range / Freezing :

point

No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit /

Upper flammability limit

: No data available

Lower explosion limit /

Lower flammability limit

: No data available

Flash point : ca. 140 °C

(Method: closed cup)

Decomposition temperature : No data available

pH : Not applicable

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity

# Sikaflex®-255 Ultra



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/06/18

 4.0
 2023/04/01
 100000019969
 Date of first issue: 2018/02/22

Viscosity, dynamic : No data available

Viscosity, kinematic : > 20.5 mm2/s (40 °C)

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : 0.01 hPa

Density and / or relative density

Density : ca. 1.31 g/cm3 (23 °C)

Relative vapour density : No data available

Explosive properties : No data available

Oxidizing properties : No data available

#### 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

### 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Not classified based on available information.

### **Components:**

Carbon black:

Acute oral toxicity : LD50 Oral (Rat): > 8,000 mg/kg

bis(2-ethylhexyl) adipate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.7 mg/l

## Sikaflex®-255 Ultra



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/06/18

 4.0
 2023/04/01
 100000019969
 Date of first issue: 2018/02/22

Exposure time: 4 h

Test atmosphere: dust/mist

## 4,4'-methylenediphenyl diisocyanate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50: 1.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Expert judgement

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

#### **Components:**

# bis(2-ethylhexyl) adipate:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 500 mg/l

aquatic invertebrates Exposure time: 48 h

# Sikaflex®-255 Ultra



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/06/18

 4.0
 2023/04/01
 100000019969
 Date of first issue: 2018/02/22

Toxicity to algae/aquatic

plants

: EC50 (Scenedesmus quadricauda (Green algae)): > 500 mg/l

Exposure time: 72 h

Carbon black:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l

Exposure time: 96 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

**Product:** 

Additional ecological infor-

mation

There is no data available for this product.

13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

14. TRANSPORT INFORMATION

**International Regulations** 

**UNRTDG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable

7 / 10

## Sikaflex®-255 Ultra



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/06/18

 4.0
 2023/04/01
 100000019969
 Date of first issue: 2018/02/22

Proper shipping name : Not applicable Class : Not applicable Subsidiary risk : Not applicable Packing group : Not applicable Labels : Not applicable Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

**IMDG-Code** 

**UN** number Not applicable Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable EmS Code Marine pollutant Not applicable

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

Refer to section 15 for specific national regulation.

#### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### **Related Regulations**

## Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### **Industrial Safety and Health Law**

### **Harmful Substances Prohibited from Manufacture**

Not applicable

### Harmful Substances Required Permission for Manufacture

Not applicable

## **Substances Prevented From Impairment of Health**

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

# Sikaflex®-255 Ultra



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/06/18

 4.0
 2023/04/01
 100000019969
 Date of first issue: 2018/02/22

#### **Substances Subject to be Notified Names**

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Carbon black	>=10 - <20	-
Methylenebis(4,1-phenylene)	>=0.1 - <1	-
diisocyanate		

#### **Substances Subject to be Indicated Names**

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Carbon black	-

### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

## Ordinance on Prevention of Lead Poisoning

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

## **Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

#### Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

## Until March 31st, 2023

Not applicable

## From April 1st, 2023

#### **Class I Designated Chemical Substances**

Chemical name	Administration number	Concentration (%)
Di-2-ethylhexyl adipate	567	9.8

Not applicable

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

## **High Pressure Gas Safety Act**

Not applicable

#### 16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

JP OEL JSOH : Japan Society for Occupational Health. Recom-

## Sikaflex®-255 Ultra



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/06/18

 4.0
 2023/04/01
 100000019969
 Date of first issue: 2018/02/22

mendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service
DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. JP / EN